



Distilling PostScript Files:  
**Adobe Acrobat Distiller 4.0 - PC**

\*\*\* This instruction package was created on Windows 98. Items may appear differently depending on what operating system you are running on your machine.


- With Distiller launched, go into **Settings > Job Options...**



- Under the **General** Tab, match example to the right.




- Under the **Compression** Tab,  
match example to the right.




- Under the **Fonts** Tab,  
match example to the right.

*Note: Fonts must be embedded.*




- Under the **Color** Tab,  
match example to the right.

*Note: The Conversion must be set to Leave Color Unchanged. If your settings do not match these settings, a color profile may be assigned and this can result in color separation other than what you expected.*




- Under the **Advanced** Tab,  
match example to the right.

*Note: The Default Page Size depends on the size of your document and how much bleed you have assigned. Make sure that nothing is cut off in the PDF file.*




- Click **Save As...**



- Name and save these settings. (Distiller will automatically save the settings file into **Program Files > Adobe > Acrobat 4.0 > Distillr > Settings**).

\*\*\* When distilling your PostScript files, make sure that the settings you just saved are selected beside **Job Options**.



- Now you are ready to distill PostScript files. Just drag & drop your .ps files onto the Distiller window or setup a watched folder under **Settings > Watched Folders**. (If you choose to setup a watched folder, make sure that you load these settings to that folder.)